ALERT TUBING FABRICATORS

AS9100D / ISO9001:2015 CERTIFIED AND NADCAP CERTIFIED FOR WELDING

Small Business Veteran-Owned



BENDING CAPABILITIES 1/8" UP TO 5" OD



SB-127X6B-1S/2S OD 127mm , Heavy Duty Tube Bender (6 axis)



SB-32X7A-2S-V-U

Our SB-32 CNC machines can not only bend with a high degree of precision for any size run, they can create highly precise prototype parts.



SB-52X10A-2S-V-U



SB-63X9A-MRV

Alert has 4 **CNC** bending machines that have been REBUILT and DIGITIZED to enhance precision. We have Pines 3/4, 1, 1 1/4, and 2 machines.

CNC ROLL BENDING AND COILING

PBT-35 ROLL BEND UP TO 8" TUBES

PBT-25 ROLL BEND UP TO 4" TUBES



Custom Coiling and Roll Bending Tubes

FULL MACHINE SHOP



DMG MORI | DMU 50

Max. X-axis travel 25.6 in. Max. Y-axis travel 20.5 in. Max. Z-axis travel 18.7 in. DMG MORI | DMU 75

Max. X-axis stroke 750 mm Max. Y-axis stroke 650 mm Max. Z-axis stroke 560 mm

MORE MACHINING CAPABILITIES





DMG MORI | NLX 2500 | 700 10-inch Chuck Size Turning Center with Varieties of Specifications

DMG MORI | NLX 2500-1250

10-inch Chuck Size Turning Center with Turning Length of up to 1,255 mm

MACHINE SHOP CONTD.



DMG MORI | SPRINT 32 | 8 Swiss lathe for turning small nuts, bolts, and screws. Max. workpiece diameter 1.3 in. Max. workpiece length 9.4 in. Max. bar diameter 1.3 in. Max. Sar diameter 1.3 in. Max. X-axis travel 2.8 in. Max. Y-axis travel 15.9 in. Max. Z-axis travel 3.9 in



VF7 / TR 210 / TRT210 Trunnion

Travels - S.A.E - Metric X Axis - 84.0 in - 2134 mm Y Axis - 32.0 in - 813 mm Z Axis - 30.0 in - 762 mm

Spindle Nose to Table (~ max) 34.0 in -864 mm Spindle Nose to Table (~ min) 4.0 in -102 mm

EDM WIRE MACHINE / EDM HOLE POPPER

Archive Ultra-Precision Cutting MB Series



Alert Tubing now uses the SEIBU MD50 EDM wire machine, extremely precise and fast. YGS-43EZ STANDARD EDM Hole Popper

ORBITAL WELDING AND BRAZING





Miller and IPG's Newest Laser welder OPT X 2KW



Dynasty 400 DX, Dynasty 300 DX, Millermatic 250, and Resistance Projection Spot Welding

Orbitalum Smart Welder OM180

We can orbital weld stainless steel, mild steel, Inconel and Titanium from 1/**8**" to **10**".



Induction Brazing Per AWS C3.5 And Torch Brazing Per AWS C3.4

KEYENCE 3D MEASUREMENT SYSTEMS



XM-5000 CMM FOR THE LARGER PARTS

KEYENCE VL700 LASER FOR MACHINED PARTS AND SMALL TUBE ASSEMBLIES

LASER ETCHING AND DOT PEEN PRINTING








FM-STATION Boss Fiber Laser Marking Machine Flymarker mini 120/45 plus Hand Held Dot Peen Printer Kwik Mark KM-64

Alert Tubing does high quality part marking and production marking for our customers.








Qualify tube shapes and automatically correct benders.







FLARING AND PARFLANGE CUSTOM 37 DEGREE AND 45 DEGREE FLARED JOINT SERVICES



Custom 90 Degree Seal-Lok Services

BEADING AND SWAGE



ROTO-RO

TSM-3.5-SWAGING-MACHINE - 3/8" to 3.5" RFM-6 BEADING MACHINE -BEADING FROM 5/8THS TO 6 IN TUBES

REDUCING AND EXPANDING







Model M71-H-3 Tube End Forming System

Custom Huth Expander and Swager

LASER, COLD SAW, AND CHOP SAW



Custom Hyd-Mech Horizontal Miter Saw Services



Custom Scotchman/Everett Cold Saw Services

LASER, COLD SAW, AND CHOP SAW



Do ALL \$400 Horizontal Saw

HABERLE H350H

WE HAVE THE ABILITY TO MITER CUT JUST ABOUT ANY SHAPE, MATERIAL, OR SIZE OF TUBING.



Flatten, Trim, Pierce, Slotting, dimple punching and Notching

Custom Flatten, Trim, And Pierce Services

A punch press operation that is a cost-effective way to produce a flat tube end for tubular assemblies.

Custom Slotting Services

A punch press operation that introduces an open-ended slot into the end of the tube.

Custom Notching Services

Combines a punch press with a dedicated punch die to reshape the end of a tube.

CNC Dimple Hole Punching

One of the options that we purchased with the SOCO SB-32 left/right-hand bender was the CNC dimple hole punching capability.

Custom Mandrel-Style Hole Punching Services

Our cost-effective means of punching round, square, and rectangular holes in metal tubing.

Stainless Steel Braided PTFE Lined Hose Assemblies

PTFE-lined stainless steel hoses made to order. These PTFE Hose assemblies can handle up to 5,000 PSI. The benefit of these hoses are that the PTFE liner will not impart taste or odor and has a non-stick surface, which makes it ideal for running chemicals, adhesives, and Solvents.**Stainless Steel Braided All-Metal Hose Assemblies**

All metal lined stainless steel braided hose assemblies made to order. These all metal hoses can handle temperatures up to 1500 F. These hoses can be made with many different configurations such as fitting styles, fitting material, liner material, and more. Contact us today with your requirements.

FACILITY

- OFFICE SPACE 2000 FT²
 SHOP FLOOR 18000 FT²
 OPERATING CAPACITY
 1 ST SHIFT 40% TO 50%
 2 ND SHIFT 100%
- 3 RD SHIFT 100%



CONTACT US TODAY!

MAIN TELEPHONE: +1 815-633-5065 Alert Tubing Fabricators, Inc. 8019 Commercial Ave Loves Park, IL 61111

kevin@alerttubing.com President (ext 104) eric@alerttubing.com VP of Operations (ext 108) kevinw@alerttubing.com CNC Engineering Manager (ext 103) sharon@alerttubing.com Accounting Manager AP / AR / (ext 105) mitchell@alerttubing.com Order Processing Manager (ext 102) vicki@alerttubing.com Purchasing Manager (ext 101) jeff@alerttubing.com Quality Manager (ext 107) james@alerttubing.com VP of Sales and Marketing

